



ACT
CANBERRA
32-38 Barton Street, Fyshwick

NSW
PUNTER VALLEY
2294 Pacific Highway, Newcastle
SMITHFIELD
121 Percival Road, Smithfield

QLD
BRSBANE
85 Colquhoun Street West,
Ascot Ridge
CARRAS
25 Allison Street, Woree
SUNSHINE COAST
509 Old Mercurypress Road,
Korinda Park
TOOWOOMBA
30 Gervington Road, Tingalpa
TOWNVILLE
133 139 Dalyrymple Dr, Garbutt

VIC
DANDENONG
152-158 St. Gipsland Hwy, Dandenong South
BENDIGO
118 Harrow Rd, West Bendigo

SAS
LAURICESTON
24-26 Fowler St, Invermay

WA
KORAMUCK
1711 Albany Highway, Korumburra

- ACCOUNT
- CREDIT CARD
- CASH
- CHEQUE
- EXTERNAL
- FIELD
- INTERNAL
- WORKSHOP
- WARRANTY
- COMPLETE
- QUOTED JOB
- INCOMPLETE

JOB NO: 321637

MACHINE MAKE: *Bobcat* MODEL: *3650* OWNER: *West Corner*

SERIAL NO: *A3NV268M* *LOR015* ADDRESS: *Site B, Rozelle*

ENGINE MODEL NO: _____ ENGINE SERIAL NO: _____

ATTACHMENT MODEL NO. IF APPLIC: _____ SERIAL NO: _____ EMAIL: _____

HOUR METER: *64 Hrs* DATE FAILED: _____ CONTACT: _____

REPAIR DATE: *11/2/20* PHONE: _____

REPORTED FAILURE	CONSUMABLES/TIME PARTS		PART NO.	
	QTY	QTY		QTY
<i>First Service</i>	<i>Oil</i>	<i>1</i>	<i>Tube Grease</i>	
	<i>Oil</i>			
	<i>Oil</i>			
	<i>Grease</i>			

CAUSE OF FAILURE: *Maintenance*

REPAIR WORK CARRIED OUT / REQUESTED

Replace engine oil, filter, fuel filter, blow out air filter. Grease machine check, coolant, hydraulic oil, belts, lights, horn, reverse alarm, cables reset Service meter.

SIGNED: *[Signature]* PRINT NAME: *Anthony Zilber* JOB ASSIGNED TO TECH:

MECHANIC	DATE	TIME ON	TIME OFF
<i>Tony</i>	<i>11/2/20</i>	<i>9:00</i>	<i>10:00</i>

SUBLET REPAIRER: _____ CES ORDER NO: _____

SEE TRUCK LIST

I/We undertake the repairs listed above and any other work which is deemed necessary to the safe operation of the machine. I accept that the machine, its attachments, accessories and contents are left at my risk and the Clark Equipment Sales Pty Ltd will not be responsible for the use of the machine or any damage to it. I agree that my claim for faulty workmanship must be made within 30 days from the original date of repair. Claims for faulty workmanship will be limited to and will be in specific relation to the original work scope performed and to the recitation of the faulty work free of charge. I also accept that Clark Equipment Sales Pty Ltd will not be liable for consequential losses or damages in respect to its workmanship, faulty workmanship or for unforeseen delays in completion of work.

SIGNED: *[Signature]* PRINT NAME: _____ DATE: _____

SIGNED: *[Signature]* PRINT NAME: _____ DATE: _____

270767

SKID STEER BOBCAT S650 – Weekly Service

MEX = 134701

Location	Start Date & Time	Finish Date & Time
Site <i>B</i>	<i>13-12-21</i>	<i>13-12-21</i>
Asset Number	Serial Number	
LDR <i>015</i>		

Record Hours	
Engine	<i>504</i>

Note: Before performing maintenance, repair work, or operating any equipment, consult the manufacturer's instruction manual and follow the recommended procedures.

1	Isolate	OK	Required Attention	Notes
	Refer to WCX3B and OEM Isolation procedures	✓		
2	Daily Check	OK	Required Attention	Notes
	Engine oil; Check the oil level and add as needed. Do not overfill	✓		<i>changed</i>
	Engine Air Filter, Air System; Check display panel. Service only when required.	✓		<i>changed</i>
	Engine Air Filter, Air System; Check for leaks and damaged components.	✓		
	Engine Cooling System; Clean debris from oil cooler, radiator and grille.	✓		
	Engine Cooling System; Check coolant level COLD and add premixed coolant as needed.	✓		
	Fuel Filter; Remove the trapped water.	✓		<i>changed</i>
	Lift Arms, Lift Links, Cylinders, Bob-Tech, Pivot Pins, Wedges;	✓		
	Lubricate with multipurpose lithium-based grease.	✓		
	Tires; Check for damaged tires and correct air pressure.	✓		
	Tires; Inflate to MAXIMUM pressure shown on the sidewall of the tire.	✓		
	Seat Belt; Check the condition of seat belt. Clean debris from moving parts	✓		
	Seat Belt Retractors; Clean or replace seat belt retractors as needed	✓		
	Seat Bar, Control Interlocks; Check for correct operation	✓		
	Interlock Control Systems; Check for correct function.	✓		
	Front Horn / Back-up Alarm; Check for proper function.	✓		
	Check for damaged signs (decals) and safety treads. Replace as required.	✓		
	Operator Cab; Check the fastening bolts, washers and nuts. Check the condition	✓		
	Indicators and Lights; Check for correct operation of all indicators and lights.	✓		

SKID STEER BOBCAT S650 – Weekly Service

Heater and A/C Filters (if Equipped); Clean or replace filters as needed.	✓		
Hydraulic Fluid; Check fluid level and add as needed.	✓		<i>Topped up</i>

3	Weekly Check	OK	Required Attention	Notes
	Hydraulic Hoses and Tubes; Check for damage and leaks. Repair or replace as req.	✓		<i>Replaced 1x Hose</i>
	Final Drive Trans. (Chaincase); Check fluid level and add as needed.	✓		
	Parking Brake; Check for correct operation. Repair or adjust as needed.	✓		
	Foot Pedals; Check for correct operation. Repair or adjust as needed.	✓		
	Hand Controls; Check for correct operation. Repair or adjust as needed.	✓		
	Steering Levers or Joysticks; Check for correct operation. Repair or adjust as needed.	✓		
	Wheel Nuts; Check 10% of wheel nuts for correct tension on each wheel	✓		
4	Weekly Tyre Checks	OK	Required Attention	Notes
	Check all tyres condition.	✓		
	Check tyres for damage and cuts. Record damage.	✓		
	Check pressure on all tyres.	✓		
	Check percentage of tread left on all tyres.	✓		
5	Condition/Wear and Operation of NCX Safety Requirements	OK	Required Attention	Notes
	Risk assessment present	✓		
	Amber rotating beacon (non-strobe type) operational	✓		
	Fire suppression system charged and operational	<i>N/A</i>		
	Fire extinguisher charged and operational	✓		
	Check condition of jump start receptacle	<i>N/A</i>		
	Check condition of battery isolator	✓		
	Emergency stops (E-stop) operational	✓		
	Headlights, Brake lights, tail lights, turn signals & clearance operational	✓		
	Wheel nut indicator locks present and in good condition	<i>N/A</i>		
	Rear reflectors operational	✓		
	Rear and side tape reflective tape present and in good condition	✓		
	Two-way radio operational	✓		
	Horn operational	✓		
	Reverse or travel alarm operational	✓		

SKID STEER BOBCAT S650 – Weekly Service

Part no.			Description	Stock Price

Comments

Completed 500HR SERVICE with Genuin Filters

Fitter's Name	Signature	Date
<i>Keith Smith</i>	<i>[Signature]</i>	13/12/21

Mechanical Foreman's Name	Signature	Date
<i>Keith Smith</i>	<i>[Signature]</i>	13/12/21

MEX WORK ORDER = 162047

Location	Start Date & Time	Finish Date & Time
SITE C WORKSHOP	27/5/22	27/5/22
Asset Number	Serial Number	
Ld015		

Record Hours	
Engine	752

Note: Before performing maintenance, repair work, or operating any equipment, consult the manufacturer's instruction manual and follow the recommended procedures.

1	Isolate	OK	Required Attention	Notes
	Refer to WCX and OEM Isolation procedures	✓		
2	Daily Check	OK	Required Attention	Notes
	Engine oil; Check the oil level and add as needed. Do not overfill	✓		replace oil + filter
	Engine Air Filter, Air System; Check display panel. Service only when required.	✓		replace both.
	Engine Air Filter, Air System; Check for leaks and damaged components.	✓		replace "
	Engine Cooling System; Clean debris from oil cooler, radiator and grille.	✓		
	Engine Cooling System; Check coolant level COLD and add premixed coolant as needed.	✓		
	Fuel Filter; Remove the trapped water.	✓		replace
	Lift Arms, Lift Links, Cylinders, Bob-Tach, Pivot Pins, Wedges;	✓		
	Lubricate with multipurpose lithium-based grease.	✓		
	Tires; Check for damaged tires and correct air pressure.	✓		solid tyres.
	Tires; Inflate to MAXIMUM pressure shown on the sidewall of the tire.	✓		
	Seat Belt; Check the condition of seat belt. Clean debris from moving parts	✓		
	Seat Belt Retractors; Clean or replace seat belt retractors as needed	✓		
	Seat Bar, Control Interlocks; Check for correct operation	✓		
	Seat Belt; Check the condition of seat belt. Clean debris from moving parts	✓		
	Seat Belt Retractors; Clean or replace seat belt retractors as needed	✓		
	Seat Bar, Control Interlocks; Check for correct operation	✓		
	Interlock Control Systems; Check for correct function.	✓		
	Front Horn / Back-up Alarm; Check for proper function.	✓		
	Check for damaged signs (decals) and safety treads. Replace as req'd	✓		
	Operator Cab; Check the fastening bolts, washers, and nuts. Check the condition	✓		
	Indicators and Lights; Check for correct operation of all indicators and lights.	✓		replaced headlight relay.

Heater and A/C Filters (If equipped); Clean or replace filters as needed.		✓		replaced.
Hydraulic Fluid: Check fluid level and add as needed.		✓		
3	Weekly Checks	OK	Required Attention	Notes
Hydraulic Hoses and Tubes; Check for damage and leaks. Repair or replace as req.		✓		
Final Drive Trans. (Chain case); Check fluid level and add as needed.		✓		
Parking Brake; Check for correct operation. Repair or adjust as needed.		✓		
Foot Pedals; Check for correct operation. Repair or adjust as needed.		✓		
Hand Controls; Check for correct operation. Repair or adjust as needed.		✓		
Steering Levers or Joysticks; Check for correct operation. Repair or adjust as needed.		✓		
Wheel Nuts; Check for loose wheel nuts and tighten to correct torque.		✓		
4	Weekly Tyre Checks	OK	Required Attention	Notes
Check all tyres condition.		✓		
Check tyres for damage and cuts. Record damage.		✓		
Check pressure on all tyres.		✓		
Check percentage of tread left on all tyres.		✓		
5	250hr Service	OK	Required Attention	Notes
Fuel Filter; Replace filter element.		✓		
Engine / Hydro. Drive Belt; Check for wear or damage. Check idler arm stop.		✓		
Drive Belts; Check condition. Replace as needed.		✓		
Bobcat Interlock Control Sys; Check the function of the lift arm bypass control.		✓		
Engine Oil and Filter; Replace oil and filter.		✓		
6	Condition/Wear and Operation of WCX Safety Requirements	OK	Required Attention	Notes
Risk assessment present		✓		
Amber rotating beacon (non-strobe type) operational		✓		
Fire suppression system charged and operational		✓		Replaced 1.5kg extinguisher
Fire extinguisher (5kg powder minimum) charged and operational		✓		
Check condition of battery isolator		✓		
Emergency stops (E-stop) operational		✓		
Headlights, Brake lights, tail lights, turn signals & clearance operational		✓		
Wheel nut indicator locks present and in good condition		✓		
Rear reflectors operational		✓		


Rear and side tape reflective tape present and in good condition	✓		
Two-way radio operational	✓		
Horn operational	✓		
Reverse or travel alarm operational	✓		
Neutral start only operational	✓		
Seat belts operational	✓		
Service and park brakes (as per G22 section J2.1.2/3) operational	✓		
Roll over protection system (ROPS) (AS2294) in good condition	✓		
Falling object protection system (FOPS) (AS2294) in good condition	✓		
Handrails for all accessible areas with fall risk in good condition	✓		
Catalytic converter or similar (scrubber) operational			
Proximity alarm operational	✓		
Reverse camera operational	✓		
Front & Rear Work Lights	✓		
Reverse Lights Fitted and Functioning	✓		
Compliance Plates in place	✓		
Rear Vision Mirror in place and functioning	✓		

Parts Used					
Part no.	Description	Estimated qty	Used qty	Unit	Stock Price
	Engine Filter		1		
	Aux Filter		1		
	Hyd return Filter		1		
	Hyd Filter		1		
	Outer air Filter		1		
	Inner air Filter		1		
	2x cab Filters		2		
	1x Inner AC Filter		1		
	15L Hyd oil		15L		
	10L engine oil		10L		
	2x M12 cabin secure nuts		2		
	1x 12V 40-50W relay		1		

Parts Used (To be ordered)		
Part no.	Description	Stock Price

Comments
 Diagnosed fault with headlights not working - found relay to be burnt out between the coil. Replaced 1.5 kg fire extinguisher

Fitter's Name	Signature	Date
Bradley Schofield		27/5/22

Mechanical Foreman's Name	Signature	Date
Keith Jarrett		27/5/22

Location	Start Date & Time	Finish Date & Time
Workshop	11/2/23	11/2/23
Asset Number	Serial Number	
02015	ABN V 26819	
Record Hours		
Engine	12:31.5	

Note: Before performing maintenance, repair work, or operating any equipment, consult the manufacturer's instruction manual and follow the recommended procedures.

1	Isolate	OK	Required Attention	Notes
	Refer to WCX and OEM isolation procedures.	✓		
2	Daily Check	OK	Required Attention	Notes
	Engine oil: Check the oil level and add as needed. Do not overfill.	✓		
	Engine Air Filter, Air System: Check display panel. Service only when required.	✓		
	Engine Air Filter, Air System: Check for leaks and damaged components.	✓		
	Engine Cooling System: Clean debris from oil cooler, radiator and grille.	✓		
	Engine Cooling System: Check coolant level COLD and add premixed coolant as needed.	✓		
	Fuel Filter: Remove the trapped water.	✓		
	Lift Arms, Lift Links: Cylinders, Bob-Tach, Pivotal Pins, Wedges.	✓		
	Lubricate with multipurpose lithium-based grease.	✓		
	Tires: Check for damaged tires and correct air pressure.	✓		
	Tires: Inflate to MAXIMUM pressure shown on the sidewall of the tire.	✓		Schids
	Seat Belt: Check the condition of seat belt. Clean debris from moving parts.	✓		
	Seat Belt Retractors: Clean or replace seat belt retractors as needed.	✓		
	Seat Bar: Control interlocks. Check for correct operation.	✓		
	Seat Belt: Check the condition of seat belt. Clean debris from moving parts.	✓		
	Seat Belt Retractors: Clean or replace seat belt retractors as needed.	✓		
	Seat Bar: Control interlocks. Check for correct operation.	✓		
	Interlock Control Systems: Check for correct function.	✓		
	Front Horn / Back-up Alarm: Check for proper function.	✓		
	Check for damaged signs (decals) and safety treads. Replace as req'd.	✓		
	Operator Cab: Check the fastening bolts, washers, and nuts. Check the condition.	✓		
	Indicators and Lights: Check for correct operation of all indicators and lights.	✓		Rthk Light smacked

	Heater and A/C Filters (if equipped): Clean or replace filters as needed.	✓		
	Hydraulic Fluid: Check fluid level and add as needed.	✓		
3	Weekly Checks	OK	Required Attention	Notes
	Hydraulic Hoses and Tubes: Check for damage and leaks. Repair or replace as req.	✓		
	Final Drive Trans. (Chain case): Check fluid level and add as needed.	✓		
	Parking Brake: Check for correct operation. Repair or adjust as needed.	✓		
	Foot Pedals: Check for correct operation. Repair or adjust as needed.	✓		
	Hand Controls: Check for correct operation. Repair or adjust as needed.	✓		
	Steering Levers or Joysticks: Check for correct operation. Repair or adjust as needed.	✓		
	Wheel Nuts: Check for loose wheel nuts and tighten to correct torque.	✓		
4	Weekly Tyre Checks	OK	Required Attention	Notes
	Check all tyres condition.	✓		
	Check tyres for damage and cuts. Record damage.	✓		
	Check pressure on all tyres.	✓		
	Check percentage of tread left on all tyres.	✓		Solids
5	100hr Service	OK	Required Attention	Notes
	Spark Arrestor Muffler: Clean the spark chamber.	✓		
	Battery: Check cables, connections, and electrolyte level. Add distilled water as req.	✓		
6	250hr Service	OK	Required Attention	Notes
	Fuel Filter: Replace filter element.		✓	Nil stock - on order
	Engine / Hydro. Drive Belt: Check for wear or damage. Check idler arm stop.	✓		
	Drive Belts: Check condition. Replace as needed.	✓		
	Bobcat Interlock Control Sys: Check the function of the lift arm bypass control.	✓		
	Engine Oil and Filter: Replace oil and filter.	✓		
7	500hr Service	OK	Required Attention	Notes
	Hydraulic system: Replace the charge filter and the reservoir breather.	✓		
	Clean the heater coil and air conditioning evaporator. Clean the blower drains.	✓		
8	1000hr Service	OK	Required Attention	Notes
	Hydraulic / Hydrostatic Filter: Replace the hydraulic / hydrostatic filter.	✓		Hydraulic on order

Final Drive Trans (Chain case). Replace the fluid.	✓		
Hydraulic Reservoir: Replace the fluid	✓		
Engine Valves: Adjust the engine valves.	✓		
Coolant: Replace the coolant	✓		
9 Condition/Wear and Operation of WCX Safety Requirements	OK	Required Attention	Notes
Risk assessment present	✓		
Amber rotating beacon (non-strobe type) operational	✓		
Fire suppression system charged and operational			N/A
Fire extinguisher (5kg powder minimum) charged and operational	✓		
Check condition of battery isolator	✓		
Emergency stops (E-stop) operational	✓		
Headlights, Brake lights, taillights, turn signals & clearance operational	✓		RAR light smashed.
wheel nut indicator locks present and in good condition	✓		
Rear reflectors operational	✓		
Rear and side tape reflective tape present and in good condition	✓		
Two-way radio operational	✓		
Horn operational	✓		
Reverse or travel alarm: operational	✓		
Neutral start only operational	✓		
Seat belts operational	✓		
Service and park brakes (as per G22 section 12.1.2/3) operational	✓		
Roll over protection system (ROPS) (AS2294) in good condition	✓		
Falling object protection system (FOPS) (AS2294) in good condition	✓		
Handrails for all accessible areas with fall risk in good condition			N/A
Catalytic convertor or similar (scrubber) operational	✓		
Proximity alarm operational			N/A
Reverse camera operational	✓		
Front & Rear Work Lights	✓		
Reverse Lights Fitted and Functioning	✓		
Compliance Plates in place	✓		
Rear Vision Mirror in place and functioning	✓		

Parts Used					
Part no.	Description	Estimated qty	Used qty	Unit	Stock Price
7008044	o-rings air filter		1		



ASB210	Inner air filter		1		
	Cab filter		2		
6678233	Engine oil filter		1		
	Oil sample		3		
7319414	Hydraulic spin on		1		
7319414					

Parts Used (To be ordered)			
Part no.	Description		Stock Price
	Door Gas strut		
	Fuel filter		
	Hydraulic filter		
	Door light lens		

Comments

Fitter's Name	Signature	Date
Brown, Walter	<i>Walter Brown</i>	1/2/25

Mechanical Foreman's Name	Signature	Date

Location	Start Date & Time	Finish Date & Time
WCH 1000	12-7-23	12-7-23
Asset Number	Serial Number	
128 015		
Record Hours		
Engine	1498	

Note: Before performing maintenance, repair work, or operating any equipment, consult the manufacturer's instruction manual and follow the recommended procedures.

1	Isolate	OK	Required Attention	Notes
	Refer to WCX and OEM Isolation procedures			
2	Daily Check	OK	Required Attention	Notes
	Engine oil: Check the oil level and add as needed. Do not overfill	/	/	
	Engine Air Filter, Air System: Check display panel. Service only when required	/	/	
	Engine Air Filter, Air System: Check for leaks and damaged components.	/	/	
	Engine Cooling System: Clean debris from oil cooler, radiator and grille	/	/	
	Engine Cooling System: Check coolant level COLD and add premixed coolant as needed.	/	/	
	Fuel Filter: Remove the trapped water.	/	/	
	Lift Arms, Lift Links, Cylinders, Bob-Tach, Pivot Pins, Wedges:	/	/	
	Lubricate with multipurpose lithium-based grease.	/	/	
	Tires: Check for damaged tires and correct air pressure	/	/	
	Tires: Inflate to MAXIMUM pressure shown on the sidewall of the tire.	/	/	
	Seat Belt: Check the condition of seat belt. Clean debris from moving parts	/	/	
	Seat Belt Retractors: Clean or replace seat belt retractors as needed	/	/	
	Seat Bar, Control Interlocks: Check for correct operation	/	/	
	Seat Belt: Check the condition of seat belt. Clean debris from moving parts	/	/	
	Seat Belt Retractors: Clean or replace seat belt retractors as needed	/	/	
	Seat Bar, Control Interlocks: Check for correct operation	/	/	
	Interlock Control Systems: Check for correct function.	/	/	
	Front Horn / Back-up Alarm: Check for proper function	/	/	
	Check for damaged signs (decals) and safety treads. Replace as req'd	/	/	
	Operator Cab: Check the fastening bolts, washers, and nuts. Check the condition	/	/	
	Indicators and Lights: Check for correct operation of all indicators and lights.	/	/	

Heater and A/C Filters (if equipped). Clean or replace filters as needed.	/		
Hydraulic Fluid: Check fluid level and add as needed	/		
3 Weekly Checks	OK	Required Attention	Notes
Hydraulic Hoses and Tubes: Check for damage and leaks. Repair or replace as req.	/		
Final Drive Trans. (Chain case): Check fluid level and add as needed.	/		
Parking Brake: Check for correct operation. Repair or adjust as needed.	/		
Foot Pedals: Check for correct operation. Repair or adjust as needed.	/		
Hand Controls: Check for correct operation. Repair or adjust as needed.	/		
Steering Levers or Joysticks: Check for correct operation. Repair or adjust as needed.	/		
Wheel Nuts: Check for loose wheel nuts and tighten to correct torque.	/		
4 Weekly Tyre Checks	OK	Required Attention	Notes
Check all tyres condition.	/		
Check tyres for damage and cuts. Record damage.	/		
Check pressure on all tyres.	/		
Check percentage of tread left on all tyres.	/		
5 100hr Service	OK	Required Attention	Notes
Spark Arrester Muffler: Clean the spark chamber.	NA		
Battery: Check cables, connections, and electrolyte level. Add distilled water as req.	/		
6 250hr Service	OK	Required Attention	Notes
Fuel Filter: Replace filter element.	/		
Engine / Hydro. Drive Belt: Check for wear or damage. Check idler arm stop.	/		
Drive Belts: Check condition. Replace as needed.	/		
Bobcat Interlock Control Sys: Check the function of the lift arm bypass control.	/		
Engine Oil and Filter: Replace oil and filter.	/		
7 500hr Service	OK	Required Attention	Notes
Hydraulic system: Replace the charge filter and the reservoir breather.	/		
Clean the heater coil and air conditioning evaporator. Clean the plenum drains.	/		
8 Condition/Wear and Operation of WCX Safety Requirements	OK	Required Attention	Notes
Risk assessment present	/		
Amber rotating beacon (non-strobe type) operational	/		

Fire suppression system charged and operational	NA		
Fire extinguisher (5kg powder minimum) charged and operational	/		
Check condition of battery isolator	/		
Emergency stops (E-stop) operational	/		
Headlights, Brake lights, tail lights, turn signals & clearance operational	/		
Wheel nut indicator locks present and in good condition	/		
Rear reflectors operational	/		
Rear and side tape reflective tape present and in good condition	/		
Two-way radio operational	/		
Horn operational	/		
Reverse or travel alarm operational	/		
Neutral start only operational	/		
Seat belts operational	/		
Service and park brakes (as per G22 section J2.1 2/3) operational	/		
Roll over protection system (ROPS) (AS2294) in good condition	/		
Falling object protection system (FOPS) (AS2294) in good condition	/		
Handrails for all accessible areas with fall risk in good condition	/		
Catalytic converter or similar (scrubber) operational	NA		
Proximity alarm operational	NA		
Reverse camera operational	/		
Front & Rear Work Lights	/		
Reverse Lights Fitted and Functioning	/		
Compliance Plates in place	/		
Rear Vision Mirror in place and functioning	/		

Parts Used					
Part no.	Description	Estimated qty	Used qty	Unit	Stock Price



500 HR MECHANICAL SERVICE - SKIDSTEER BOBCAT S650-S770

Parts Used (To be ordered)		
Part no.	Description	Stock Price

Comments

Fitter's Name	Signature	Date
<i>Thomas Darragh</i>	<i>[Signature]</i>	<i>12-9-23</i>

Mechanical Foreman's Name	Signature	Date