Service History Report

KOMATSU

Komatsu HM300-5 11150 (ADT08)

JHCPB JV (ROZELLE INTERCHANGE)

Last SMR 12842 hours 20/11/2024

Report run 25/11/2024 15:40 (AEDT)

Interval (h)	Completed	SMR (h)	Service	KAL Reference	Customer Reference
12500	04/09/2024	12253	500 hour service	R1535662	RIC0853BTUN112500 03/10/2024
12250			250 hour service	R1530584	RIC0853BTUN1225011/ 09/2024
11750	13/09/2024	11777	250 hour service	R1518935	RIC0853BTUN11750220 724
11500	17/06/2024	11454	500 hour service	R1510759	RIC0853BTUN11500140 62024
11250	11/06/2024	11267	250 hour service	R1505891	RIC 0853 B TUN 250
11000	21/06/2024	10956	1000 hour service	R1500179	RIC0853BTUNADT0811 000
10750	29/02/2024	10721	250 hour service	R1486377	RIC 0853 B TUN
10250	11/12/2023	10246	250 hour service	R1469574	RIC 0853 B TUN 10,250H 1.12.23
10000	01/11/2023	9958	5000 hour service	R1461912	RIC 0853 B TUN 10,000H 2.11.23
9750	16/10/2023	9786	250 hour service	R1457009	RIC 0853 B TUN 9750H 12/10/23
9500	12/09/2023	9486	500 hour service	R1451269	RIC 0853 B TUN 9500HR 12/9/23
9250	23/08/2023	9272	250 hour service	R1443877	RIC 0853 B TUN 9250HR 17/08/23
9000	20/07/2023	9050	4500 hour service	R1438611	RIC 0853 B TUN 9000HR 20/07/23
8750	06/07/2023	8884	250 hour service	R1435670	RIC 0853 B TUN 8750HR 05/07/23
8500	14/06/2023	8566	500 hour service	R1428585	RIC 0853 BTUN 8500HR
8250	17/05/2023	8382	250 hour service	R1424153	RIC 0853 BTUN 8250HR 16/05/23
7750	12/04/2023	7833	250 hour service	R1413590	RIC 0853 B TUN 7750hr 10/3/23
7500	09/01/2023	7386	500 hour service	R1401652	RIC 0853 B TUN 7500HR 6/1/23
7250	26/10/2022	7305	250 hour service	R1388503	RIC 0853 BTUN 7250Hr 26-10-22
7000	04/10/2022	6961	1000 hour service	R1380766	RIC 0853 BTUN 7000HR 12/09/22
6750	05/08/2022	6726	250 hour service	R1375022	RIC 0853 BTUN 6750HR 05/08/22
6500	27/06/2022	6392	500 hour service	R1366037	RIC 0853 BTUN 6500HR 15/06/22
6250	20/06/2022	6162	250 hour service	R1360549	RIC 0853 BTUN 6750 HR 12/05/22
6000	27/04/2022	5960	6000 hour service	R1354243	RIC 0853 BTUN 6000HR 08/04/22
5750	01/04/2022	5666	250 hour service	R1348919	RIC 0853 BTUN 5750HR 02/03/22
5500	31/03/2022	5448	500 hour service	R1344109	RIC 0853 BTUN 5500HR 03/02/22
5250	11/01/2022	5163	250 hour service	R1340157	RIC 0853 BTUN 5250HR 04/01/22
5000	07/12/2021	5002	5000 hour service	R1334475	RIC 0853B TUN 5000 30/11/21
4750	15/11/2021	4782	250 hour service	R1331955	RIC 0853B TUN 4750HR 12/11/21

Service History Report

KOMATSU

Interval (h)	Completed	SMR (h)	Service	KAL Reference	Customer Reference
4500	28/10/2021	4556	4500 hour service	R1328113	RIC 0853B TUN 4500HR 26/10/21
4250	08/10/2021	4345	250 hour service	R1325083	RIC 0853B TUN 4250HR 1/10/21
4000	17/09/2021	4140	4000 hour service	R1322038	RIC 0853B TUN 4000HR 16/9/21
3750	24/11/2021	3705	250 hour service	R1313357	RIC-0853B-TUN 3750HR 6/8/21
3500	24/06/2021	3450	500 hour service	R1306916	rIC-0853B-TUN 3500HR 21/6/21
3250	28/05/2021	3283	250 hour service	R1303069	RIC-0853B-tun 3250hr 27/5/21
3000	17/05/2021	2992	3000 hour service	R1296653	RIC-0853B-TUN 3000HR 27/4/21
2750	20/04/2021	2779	250 hour service	R1292840	RIC-0853B-TUN 2750HR 1/3/21
2500	11/03/2021	2508	500 hour service	R1289010	RIC-0853B-TUN 2500HR 9/3/21
2250	24/02/2021	2250	250 hour service	R1284675	RIC-0853B-TUN 2250HR 10/2/21
2000	22/01/2021	2053	2000 hour service	R1280676	ric-0853b-tun2000HR 20/1/21
1750	08/02/2021	1796	250 hour service	R1277419	RIC-0853B-TUN 1750HR 21/12/20
1500	04/12/2020	1518	500 hour service	R1271118	RIC-0853B-TUN 1500HR 18/11/20
1250	22/10/2020	1248	250 hour service	R1267028	RIC-0853B-TUN 1250hr 19/10/20
1000	13/10/2020	970	1000 hour service	R1262216	RIC-0853B-TUN 1000hr 21/9/20
750	09/09/2020	753	250 hour service	R1258521	RIC-0853B-TUN 750hr 27/8/20
500	12/08/2020	525	500 hour service	R1254092	RIC-0853B-TUN 500HR 7/8/20
6.3	27/05/2020	6	Adjustments & inspections	R1240963	

Service History Report

KOMATSU

Further information

Fleet information can also be accessed at Komatsu's myKomatsu website: my.komatsu.com.au/fleet my.komatsu.co.nz/fleet

Terms and conditions

1 Overview
(a) This Report is strictly confidential and has been prepared by Komatsu Australia Pty Ltd (ABN 63 053 514 739) or Komatsu New Zealand Limited (NZBN 9429050679508) (Komatsu) for review only by the named Customer. This Report must not be provided to, or relied upon by, any other persons or organisations. Any person who reads this Report does so agreeing and acknowledging the scope, limitation and disclaimers set out in this Report. This Report must not be reproduced or copied, in whole or in part without the prior written consent of Komatsu.
(b) The scope of this Report is limited to a summary of various data that has been generated from a machine (or fleet of machines), from various source systems such as Komtrax and/or Condition Monitoring Services (CMS).
(c) The machine's service meter reading (hour meter) will be taken to be accurate and representative of the actual number of hours performed by the machine. Komatsu in no way represents or warrants the readings and/or data used to complete this Report are true and accurate.

2 Limitation of liability
To the extent permitted by law, Komatsu expressly excludes all liability for loss, damage or injury, including Consequential Loss, whether under contract, tort, equity or otherwise, caused directly or indirectly by any errors in, omissions from, or actions taken or not taken because of the information or opinions provided in this Report. In this clause 2, "Consequential Loss" means all loss of actual or anticipated profit, loss of use, loss of productivity, loss of revenue, business interruption of any nature, loss of contracts, loss of opportunity, increased costs and expenses, wasted expenditure, loss or corruption of data, loss arising from delay, loss by reason of shutdown or non-operation or increased cost of borrowing capital or financing, loss of business reputation or goodwill and all special, indirect and consequential losses whether caused by or contributed to by a breach of contract or statute, breach of warranty (express or implied), tort, strict liability or any other cause whatsoever.

3 Disclaimer
(a) This Report is not an all-encompassing report but rather, a reasonable attempt to provide limited data and/or provide a summary of the health and operation of a machine (or fleet of machines), which has been generated from a number of source systems such as Komtrax and/or CMS, for the relevant time period as set out in the Report.
(b) No warranty is given as to the accuracy or completeness of the information provided in this Report, including any data, research, models, charts, forecasts, recommendations or other material and no responsibility is accepted by Komatsu or its employees, contractors or agents for any loss or damage arising from reliance on the information provided.

4 Statutory warranties
All conditions and warranties of any type in relation to the goods or services are excluded to the maximum extent allowed by the law. Nothing in these terms and conditions limit those provisions of the Competition and Consumer Act 2010 (Cth), the Consumer Guarantees Act 1993 nor any other statutes, rules or regulations from time to time in force in Australia, New Zealand or New Caledonia which imply or guarantee certain conditions or warranties or impose obligations on Komatsu which conditions, warranties and obligations cannot, or cannot except to a limited extent be excluded, restricted or modified. If any such statutory provisions apply, then to the extent to which Komatsu is entitled to do so, its liability shall be limited at its option to: (a) in the case of goods: (i) the replacement of goods or the supply of equivalent goods; or (ii) the payment of the cost of replacing the goods or of acquiring equivalent goods; or (iii) the payment of the cost of having the goods repaired; or (iv)the repair of the goods; and (b) in the case of services: (i) the supply of the services again; or (ii) the payment of the cost of having the services supplied again.

5 General
If the Report is provided in Australia, the document is governed by the laws of New South Wales, Australia. These terms and conditions are in addition to Komatsu's Terms and Conditions – Parts and Service, available at: https://www.komatsu.com.au/pages/terms-conditions, which governs the provision of services provided by Komatsu (unless otherwise agreed in writing).
If the Report is provided in New Zealand, the document is governed by the laws of New Zealand. These terms and conditions are in addition to Komatsu's Terms and Conditions – Parts and Service, available at: https://www.komatsu.co.nz/pages/terms-conditions, which governs the provision of services provided by Komatsu (unless otherwise agreed in writing).
If the Report is provided in New Caledonia, the document is governed by the laws of New Caledonia. These terms and conditions are in addition to Komatsu's General Terms and Conditions of Sale and of Provision of Services, which govern the provision of services provided by Komatsu (unless otherwise agreed in writing).

KOWA Machine Report

KOMATSU HM300-5 11150 (ADT08 HM300-5 (EX ADT030))

WCX3B Rozelle Interchange : Rozelle Interchange

Total samples	323
Last sampled	12550 hours, 3/10/2024, 53 days ago
Last hours	12841.5 hours, 5 days ago

Coolant

Default coolant: ? ? COOLANT

Sample overdue by 2342 hours, 254 days

Normal		Normal	
Sampled	2/11/2023	Sampled	20/07/2023
Sample	20231110302506	Sample	20230728103004
Unit	10000 hours	Unit	9050 hours
Comp.	10000 hours	Comp.	9050 hours
Interval	950 hours	Interval	?
Coolant	?	Coolant	?
KOMATSU COOLANT ?		? ? COOLANT	

Evaluation: All tests on this sample appear acceptable, keep sampling to monitor further.

Customer Comments: coolant added

Diesel Engine

Default oil: KOMATSU EO LA 15W-40

Sample overdue by 42 hours, 5 days

Normal		Normal		Normal		Normal	
Sampled	3/10/2024	Sampled	4/09/2024	Sampled	22/07/2024	Sampled	27/05/2024
Sample	20241009300750	Sample	20240911300950	Sample	20240802300730	Sample	20240530301138
Unit	12550 hours	Unit	12252 hours	Unit	11775 hours	Unit	11267 hours
Comp.	?	Comp.	12252 hours	Comp.	11775 hours	Comp.	11267 hours
Interval	298 hours	Interval	477 hours	Interval	508 hours	Interval	546 hours
Oil	?	Oil	?	Oil	250 hours	Oil	?
KOMATSU EO LA 15W-40		KOMATSU EO LA 15W-40		KOMATSU EO LA 15W-40		KOMATSU EO LA 15W-40	

Evaluation: Readings appear to be satisfactory, keep sampling at the normal rate to monitor further.

Differential Centre

Default oil: KOMATSU AXO 80

Normal		Normal		Normal		Normal	
Sampled	3/10/2024	Sampled	4/09/2024	Sampled	2/11/2023	Sampled	13/09/2023
Sample	20241009300741	Sample	20240911300938	Sample	20231107300508	Sample	20230915300523
Unit	12550 hours	Unit	12252 hours	Unit	10000 hours	Unit	9488 hours
Comp.	?	Comp.	12252 hours	Comp.	10000 hours	Comp.	9488 hours
Interval	298 hours	Interval	2252 hours	Interval	512 hours	Interval	438 hours
Oil	?	Oil	2252 hours	Oil	2000 hours	Oil	1455 hours
KOMATSU AXO 80		KOMATSU AXO 80		KOMATSU AXO 80		KOMATSU AXO 80	

Evaluation: All tests on this sample appear acceptable, keep sampling to monitor further.

Differential Front

Default oil: KOMATSU AXO 80

Normal		Normal		Normal		Normal	
Sampled	3/10/2024	Sampled	4/09/2024	Sampled	2/11/2023	Sampled	13/09/2023
Sample	20241009300738	Sample	20240911300937	Sample	20231107300505	Sample	20230915301003
Unit	12550 hours	Unit	12252 hours	Unit	10000 hours	Unit	9488 hours
Comp.	?	Comp.	12252 hours	Comp.	10000 hours	Comp.	9488 hours
Interval	298 hours	Interval	2252 hours	Interval	512 hours	Interval	438 hours
Oil	?	Oil	2252 hours	Oil	2000 hours	Oil	1455 hours
KOMATSU AXO 80		KOMATSU AXO 80		KOMATSU AXO 80		KOMATSU AXO 80	

Evaluation: Results appear to be acceptable, sample at the next sample interval.

KOWA Machine Report

KOMATSU HM300-5 11150 (ADT08 HM300-5 (EX ADT030))

Differential Rear

Default oil: KOMATSU AXO 80

Normal	Sampled	3/10/2024	Normal	Sampled	4/09/2024	Normal	Sampled	2/11/2023	Normal	Sampled	13/09/2023
	Sample	20241009300744		Sample	20240911300939		Sample	20231107300511		Sample	20230915301006
	Unit	12550 hours		Unit	12252 hours		Unit	10000 hours		Unit	9488 hours
	Comp.	?		Comp.	12252 hours		Comp.	10000 hours		Comp.	9488 hours
	Interval	298 hours		Interval	2252 hours		Interval	512 hours		Interval	438 hours
	Oil	?		Oil	2252 hours		Oil	2000 hours		Oil	1455 hours
	KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80	

Evaluation: Results appear to be acceptable, sample at the next sample interval.

Final Drive LHC

Default oil: KOMATSU AXO 80

Normal	Sampled	3/10/2024	Normal	Sampled	4/09/2024	Normal	Sampled	2/11/2023	Normal	Sampled	13/09/2023
	Sample	20241009300739		Sample	20240911300933		Sample	20231107300506		Sample	20230915300522
	Unit	12550 hours		Unit	12252 hours		Unit	10000 hours		Unit	9488 hours
	Comp.	?		Comp.	12252 hours		Comp.	10000 hours		Comp.	9488 hours
	Interval	298 hours		Interval	2252 hours		Interval	512 hours		Interval	438 hours
	Oil	?		Oil	2252 hours		Oil	2000 hours		Oil	1455 hours
	KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80	

Evaluation: Readings appear to be satisfactory, keep sampling at the normal rate to monitor further.

Final Drive LHF

Default oil: KOMATSU AXO 80

Normal	Sampled	3/10/2024	Normal	Sampled	4/09/2024	Normal	Sampled	2/11/2023	Normal	Sampled	13/09/2023
	Sample	20241009300736		Sample	20240911300931		Sample	20231107300503		Sample	20230915301002
	Unit	12550 hours		Unit	12252 hours		Unit	10000 hours		Unit	9488 hours
	Comp.	?		Comp.	12252 hours		Comp.	10000 hours		Comp.	9488 hours
	Interval	298 hours		Interval	2252 hours		Interval	512 hours		Interval	438 hours
	Oil	?		Oil	2252 hours		Oil	2000 hours		Oil	1455 hours
	KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80	

Evaluation: All tests on this sample appear acceptable, keep sampling to monitor further.

Final Drive LHR

Default oil: KOMATSU AXO 80

Normal	Sampled	3/10/2024	Normal	Sampled	4/09/2024	Normal	Sampled	2/11/2023	Normal	Sampled	13/09/2023
	Sample	20241009300742		Sample	20240911300935		Sample	20231107300509		Sample	20230915300524
	Unit	12550 hours		Unit	12252 hours		Unit	10000 hours		Unit	9488 hours
	Comp.	?		Comp.	12252 hours		Comp.	10000 hours		Comp.	9488 hours
	Interval	298 hours		Interval	2252 hours		Interval	512 hours		Interval	438 hours
	Oil	?		Oil	2252 hours		Oil	2000 hours		Oil	1455 hours
	KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80	

Evaluation: All results appear to be acceptable, continue sampling at the normal rate.

Final Drive RHC

Default oil: KOMATSU AXO 80

Normal	Sampled	3/10/2024	Normal	Sampled	4/09/2024	Normal	Sampled	2/11/2023	Normal	Sampled	13/09/2023
	Sample	20241009300740		Sample	20240911300934		Sample	20231107300507		Sample	20230915301004
	Unit	12550 hours		Unit	12250 hours		Unit	10000 hours		Unit	9488 hours
	Comp.	?		Comp.	12252 hours		Comp.	10000 hours		Comp.	9488 hours
	Interval	300 hours		Interval	2250 hours		Interval	512 hours		Interval	438 hours
	Oil	?		Oil	2252 hours		Oil	2000 hours		Oil	1455 hours
	KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80	

Evaluation: Readings appear acceptable, sample at the next scheduled interval.

KOWA Machine Report

KOMATSU HM300-5 11150 (ADT08 HM300-5 (EX ADT030))

Final Drive RHF

Default oil: KOMATSU AXO 80

Normal	Sampled	3/10/2024	Normal	Sampled	4/09/2024	Normal	Sampled	2/11/2023	Normal	Sampled	13/09/2023
	Sample	20241009300737		Sample	20240911300932		Sample	20231107300504		Sample	20230915300521
	Unit	12550 hours		Unit	12252 hours		Unit	10000 hours		Unit	9488 hours
	Comp.	?		Comp.	12252 hours		Comp.	10000 hours		Comp.	9488 hours
	Interval	298 hours		Interval	2252 hours		Interval	512 hours		Interval	438 hours
	Oil	?		Oil	2252 hours		Oil	2000 hours		Oil	1455 hours
	KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80	

Evaluation: Readings appear to be satisfactory, keep sampling at the normal rate to monitor further.

Final Drive RHR

Default oil: KOMATSU AXO 80

Normal	Sampled	3/10/2024	Normal	Sampled	4/09/2024	Normal	Sampled	2/11/2023	Normal	Sampled	13/09/2023
	Sample	20241009300743		Sample	20240911300936		Sample	20231107300510		Sample	20230915301005
	Unit	12550 hours		Unit	12252 hours		Unit	10000 hours		Unit	9488 hours
	Comp.	?		Comp.	12252 hours		Comp.	10000 hours		Comp.	9488 hours
	Interval	298 hours		Interval	2252 hours		Interval	512 hours		Interval	438 hours
	Oil	?		Oil	2252 hours		Oil	2000 hours		Oil	1455 hours
	KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80			KOMATSU AXO 80	

Evaluation: All tests on this sample appear acceptable, keep sampling to monitor further.

Hydraulic System

Default oil: KOMATSU HO HM 46

Normal	Sampled	3/10/2024	Normal	Sampled	4/09/2024	Normal	Sampled	2/11/2023	Normal	Sampled	13/09/2023
	Sample	20241009300704		Sample	20240911300906		Sample	20231107300501		Sample	20230915300507
	Unit	12550 hours		Unit	12252 hours		Unit	10000 hours		Unit	9488 hours
	Comp.	?		Comp.	12252 hours		Comp.	10000 hours		Comp.	9488 hours
	Interval	298 hours		Interval	2252 hours		Interval	512 hours		Interval	438 hours
	Oil	?		Oil	4219 hours		Oil	2000 hours		Oil	1455 hours
	KOMATSU HO HM 46			KOMATSU HO HM 46			KOMATSU HO HM 46			KOMATSU HO HM 46	

Evaluation: Slight increase in ISO. All other results appear to be acceptable, continue sampling at the normal rate.

Transmission

Default oil: KOMATSU TO 10W

Normal	Sampled	3/10/2024	Caution	Sampled	4/09/2024	Normal	Sampled	2/11/2023	Normal	Sampled	13/09/2023
	Sample	20241009300708		Sample	20240911300909		Sample	20231107300502		Sample	20230915301001
	Unit	12550 hours		Unit	12252 hours		Unit	10000 hours		Unit	9488 hours
	Comp.	?		Comp.	12252 hours		Comp.	10000 hours		Comp.	9488 hours
	Interval	298 hours		Interval	2252 hours		Interval	512 hours		Interval	438 hours
	Oil	2550 hours		Oil	2252 hours		Oil	1000 hours		Oil	438 hours
	KOMATSU TO 10W			KOMATSU TO 10W			KOMATSU TO 10W			KOMATSU TO 10W	

Evaluation: All tests on this sample appear acceptable for overall trend, further monitor next sample.

Status legend

Critical	Results indicate urgent action is required
Action	Results indicate action is required as soon as possible
Caution	Results indicate an increased trend that should be monitored
Query	Further information is required
Normal	Results are acceptable relative to the trend
PPM	Parts per million

Komatsu's Condition Monitoring Services (CMS) are ISO 9001 certified to ensure you receive timely and accurate information, information that you can trust.

Express post and eParcel satchels cab be recycled, please return any unused satchel

Terms and conditions

1 Overview
(a) This Report is strictly confidential and has been prepared by Komatsu Australia Pty Ltd (ABN 63 053 514 739) or Komatsu New Zealand Limited (NZBN 9429050679508) (Komatsu) for review only by the named Customer. This Report must not be provided to, or relied upon by, any other persons or organisations. Any person who reads this Report does so agreeing and acknowledging the scope, limitation and disclaimers set out in this Report. This Report must not be reproduced or copied, in whole or in part without the prior written consent of Komatsu.
(b) The scope of this Report is limited to a summary of various data that has been generated from a machine (or fleet of machines), from various source systems such as Komtrax and/or Condition Monitoring Services (CMS).
(c) The machine's service meter reading (hour meter) will be taken to be accurate and representative of the actual number of hours performed by the machine. Komatsu in no way represents or warrants the readings and/or data used to complete this Report are true and accurate.

2 Limitation of Liability
To the extent permitted by law, Komatsu expressly excludes all liability for loss, damage or injury, including Consequential Loss, whether under contract, tort, equity or otherwise, caused directly or indirectly by any errors in, omissions from, or actions taken or not taken because of the information or opinions provided in this Report. In this clause 2, "Consequential Loss" means all loss of actual or anticipated profit, loss of use, loss of productivity, loss of revenue, business interruption of any nature, loss of contracts, loss of opportunity, increased costs and expenses, wasted expenditure, loss or corruption of data, loss arising from delay, loss by reason of shutdown or non-operation or increased cost of borrowing capital or financing, loss of business reputation or goodwill and all special, indirect and consequential losses whether caused by or contributed to by a breach of contract or statute, breach of warranty (express or implied), tort, strict liability or any other cause whatsoever.

3 Disclaimer
(a) This Report is not an all-encompassing report but rather, a reasonable attempt to provide limited data and/or provide a summary of the health and operation of a machine (or fleet of machines), which has been generated from a number of source systems such as Komtrax and/or CMS, for the relevant time period as set out in the Report.
(b) No warranty is given as to the accuracy or completeness of the information provided in this Report, including any data, research, models, charts, forecasts, recommendations or other material and no responsibility is accepted by Komatsu or its employees, contractors or agents for any loss or damage arising from reliance on the information provided.

4 Statutory warranties
All conditions and warranties of any type in relation to the goods or services are excluded to the maximum extent allowed by the law. Nothing in these terms and conditions limit those provisions of the Competition and Consumer Act 2010 (Cth), the Consumer Guarantees Act 1993 nor any other statutes, rules or regulations from time to time in force in Australia, New Zealand or New Caledonia which imply or guarantee certain conditions or warranties or impose obligations on Komatsu which conditions, warranties and obligations cannot, or cannot except to a limited extent be excluded, restricted or modified. If any such statutory provisions apply, then to the extent to which Komatsu is entitled to do so, its liability shall be limited at its option to: (a) in the case of goods: (i) the replacement of goods or the supply of equivalent goods; or (ii) the payment of the cost of replacing the goods or of acquiring equivalent goods; or (iii) the payment of the cost of having the goods repaired; or (iv)the repair of the goods; and (b) in the case of services: (i) the supply of the services again; or (ii) the payment of the cost of having the services supplied again.

5 General
If the Report is provided in Australia, the document is governed by the laws of New South Wales, Australia. These terms and conditions are in addition to Komatsu's Terms and Conditions – Parts and Service, available at: https://www.komatsu.com.au/pages/terms-conditions, which governs the provision of services provided by Komatsu (unless otherwise agreed in writing).
If the Report is provided in New Zealand, the document is governed by the laws of New Zealand. These terms and conditions are in addition to Komatsu's Terms and Conditions – Parts and Service, available at: https://www.komatsu.co.nz/pages/terms-conditions, which governs the provision of services provided by Komatsu (unless otherwise agreed in writing).
If the Report is provided in New Caledonia, the document is governed by the laws of New Caledonia. These terms and conditions are in addition to Komatsu's General Terms and Conditions of Sale and of Provision of Services, which govern the provision of services provided by Komatsu (unless otherwise agreed in writing).