



DEALER TRUCK PURCHASE ORDER

PACCAR Australia Pty Ltd

: \$0.00  
: \$0.00  
: \$0.00

Engineering Data

Axle Configuration:	6x4	Component GCM:	97,000 kg.	Plated GCM:	97,000 kg.
Front Axle Assy Rating:	7,200 kg.	Component GVM:	28,100 kg.	ADR GVM:	26,500 kg.
Rear Axle Assy Rating:	20,900 kg.	Customer Approved Rating: Approved For Customer:			
Application Approval Rating:	85,000 kg.	Trailer Type: Semi-trailer, B-Double, Roadtrain - double (AA)			
B-Double Startability Rating:	101,410 kg.	Class of Service: A			
Roadtrain Startability Rating:	163,680 kg.	Warranty: On Highway (AUS)			
Wheelbase:	5,790 mm.	Operation: Tanker - Dry			
		ADR64 Road Train & B-Double			
		Compliance:			

Chassis Rails: 273 x 89 x 9.5 mm. (with rear suspension insert only)

DEALER DETAILS

Dealer: Gilbert and Roach  
Sales Rep: Lloyd Moran

CUSTOMER COMPANY DETAILS

Company Name: [REDACTED]  
Street Address: [REDACTED]  
City: [REDACTED] State: NSW Postcode: [REDACTED]  
Country: Australia  
Mailing Address: [REDACTED]  
City: [REDACTED] State: NSW Postcode: [REDACTED]  
Country: Australia  
Phone 1: [REDACTED] Fax 1: 0  
Phone 2: 0 Fax 2: 0  
Email: [REDACTED]  
Customer ABN: [REDACTED]

CUSTOMER CONTACT DETAILS

Main Contact: [REDACTED]  
Position Title: [REDACTED]  
Phone 1: [REDACTED] Fax 1: 0  
Phone 2: 0 Fax 2: 0  
Mobile: [REDACTED] Pager: 0  
Email: [REDACTED]  
Contact Address: [REDACTED]  
City: [REDACTED] State: NSW Postcode: [REDACTED]  
Country: Australia

Preferred Delivery Date : 30/07/19  
Pricing Period : 01/05/19

Model : T610SAR

**DEALER TRUCK PURCHASE ORDER**

**PACCAR Australia Pty Ltd**

Wheelbase : 5790 mm  
 Bumper to Front Axle : 840 mm  
 Fr Axle to Back of Cab : 3410 mm  
 Cab to Rear Axle : 2380 mm  
 Rear Frame Cutoff : 1370 mm Cab to End of Frame : 3750  
 Total Frame Length : 7657 mm  
 Total Tare : 9457 Kg (inc. dealer add-ons Kg)

<b>UNIT</b>		
00006101	T610SAR Includes radiator, silicon radiator/heater hoses, front axle shock absorbers, PVC covered chassis wiring, grab handles at rear of cab/sleeper, fuel tank steps, front tow hitch/hook, rear axle park brakes, colour coded polyester nylon cab & chassis airlines.	7681Kg
## 00010004	<b>SINGLE STEER + TANDEM DRIVE (6 X 4)</b>	0Kg
00100008	Intended Service: General Freight	
00110018	Commodity Hauled: Tanker - Dry	
00120034	Body Type: Tanker (Pump/Blowe	
## 00140014	<b>PRIME MOVER WITH ROADTRAIN A-DOUBLE TRAILERS. SEMI TRAILER PLUS DRAWBAR CONNECTION TO FULL TRAILER (TWO TRAILERS PLUS ONE DOLLY). UP TO 36.5M OVERALL LENGTH.</b>	0Kg
## 00150006	<b>DRUM TRAILER BRAKES WITH ABS/EBSS ON TRAILER</b>	0Kg
00901034	Main Routes: Australia Wide	
## 00951003	<b>AUSTRALIA</b>	0Kg
## 00970100	<b>SPEED LIMITER - 100KM/HR</b>	0Kg
## 00980102	<b>PBS ASSESSMENT USE THIS CODE ONLY FOR TRUCKS THAT ARE INTENDED FOR PBS PERMITS. PERFORMANCE-BASED STANDARD ASSESSMENT MAY HAVE TO MEET DIFFERENT STANDARD THAN GENERAL ACCESS VEHICLES</b>	0Kg
<b>FUEL HAUL</b>		
11000007	No fuel haul kit	0Kg
<b>SERVICE KIT</b>		
13000001	Standard Service kit	0Kg
<b>ENGINE</b>		
## 21012552	<b>CUMMINS X15 EURO V 485HP / 1850LBFT. 505HP @ 1500-1700 RPM, 1850LBFT TORQUE @ 1200 RPM. 15.0 LITRE DISPLACEMENT. ADR80/03. SIX CYLINDER IN-LINE TURBOCHARGED AIR-TO-AIR AFTERCOOLED, ALUMINIUM FLYWHEEL HOUSING. FLEETGUARD COMBINATION FULL FLOW &amp; BY-PASS OIL FILTERS &amp; INTEGRAL OIL COOLER. INCLUDES 2000RPM MAX, CUMMINS ROAD</b>	0Kg

SPEED LIMITER, KW SPIN ON WATER FILTER.

## ENGINE MISCELLANEOUS

##	21200200	ENGINE RERATE BY DEALER (INDICATE NEW RATING). TO CONFIRM THAT PLANNED RERATED ENGINE HORSE POWER AND TORQUE RATINGS WILL COMPLY WITH APPLICATION ENGINEERING STANDARDS (NARRATIVE REQUIRED) 615hp/2050lb-ft	0Kg
EXTENDED ENGINE WARRANTY			
##	21301660	X15 EURO V ENGINE WARRANTY - 5 YR OR 1, 200,000KM OR 18,000 HOURS OR 600,000L FUEL BURN COVERAGE	0Kg
EXHAUST SYSTEM			
##	21500067	EGP MTD IN CHASSIS, DUAL SIDE OF CAB EXHAUST - IN CHASSIS EGP MOUNTED RHS.	34Kg
EXHAUST SHIELD			
##	22000017	DUAL SS EXHAUST SHIELD (NO LETTERS) - POLISHED SHIELD.	40Kg
EXHAUST PIPE			
##	22500230	DUAL DELIVERY TAILPIPES - FOR TRAVEL TO DEALERSHIP (DEALER TO SUPPLY AND FIT FINAL TAILPIPE FOR DELIVERY TO CUSTOMER)	18Kg
FUEL FILTER			
##	23500035	FUEL PRO FILTER/WATER SEPARATOR	0Kg
AIR COMPRESSOR			
	24000040	Cummins 8.8l/s (18.7cfm) compressor	0Kg
ENGINE STARTER			
	25000001	12V starter with key switch	0Kg
INTAKE SYSTEM			
	25500018	Stainless steel cowl mtd air cleaners N/A with raised air intakes or rams	0Kg
INTAKE CAPS/RAM			
	25800010	Stainless caps, suit stainless steel air cleaners	0Kg
ALTERNATOR			
##	26200020	160A NON ISOLATED ALTERNATOR (X15/QSK/MX-12V)	2Kg
MISC ENG ELEC			
	26500001	12 volt cab/chassis electrics	0Kg
##	26500004	POWER DISTRIBUTION BOX (SUITS MULTI-TRAILER COMBINATIONS)	5Kg
	26500010	Urea metering device to suit SCR engine	0Kg

**DEALER TRUCK PURCHASE ORDER**

PACCAR Australia Pty Ltd

<b>ENG RETARDER</b>			
27000075	Cummins engine brake, dash mtd switches		0Kg
<b>ENGINE COOLING</b>			
27500005	Radiator mounted bug screen		0Kg
<b>FAN CLUTCH</b>			
28500001	Horton single speed fan clutch		0Kg
<b>ENGINE MOUNTS</b>			
29000020	Barry type rear engine mounts (GCM 110T & less)		0Kg
<b>TRANSMISSION</b>			
## 31024509	EATON FO-22E318B-MXP ULTRASHIFT PLUS TRANSMISSION, 2250LBFT TORQUE, 18 SPEED OVERDRIVE WITH ALUMINIUM BELL HOUSING.		11Kg
<b>CLUTCH</b>			
## 32028200	ECA CLUTCH TO SUIT ULTRA-SHIFT PLUS TRANSMISSION		0Kg
<b>MAIN DRIVELINE</b>			
## 34020002	RPL25 MAIN DRIVELINE & 1 C/BEARING (MERITOR SERIES)		67Kg
<b>INTERAXLE DLINE</b>			
## 34500100	RPL20 INTERAXLE DRIVELINE - TANDEM (MERITOR SERIES)		14Kg
<b>TRANS EQUIPMENT</b>			
## 35000001	EXTENDED GREASE LINE TO CLUTCH BEARING		1Kg
## 35000002	EXTENDED GREASE LINE TO CLUTCH SHAFT		1Kg
35000010	Transmission oil cooler		0Kg
## 35000031	EATON ULTRASHIFT DUAL MODE, LOAD SENSITIVE SKIP-SHIFTING.		5Kg
## 35000032	EATON ULTRASHIFT URGE TO MOVE		0Kg
## 35000308	POW AUTO PA851 AIRSHIFT PTO TO SUIT ULTRASHIFT + TRANSMISSION (PA851BL11A08A) EATON FULLER PTO SUPPLIED BY HYDRECO (INCLUDING SWITCH, WIRING AND SOLENOID AS APPLICABLE. DOES NOT INCLUDE PARK BRAKE INTERLOCK - IF AN INTERLOCK IS REQUIRED, PLEASE RAISE AN NPO IN THE "CAB AIR & ELECTRICAL" SECTION (64599000).		17Kg
<b>HILL START ASSIST</b>			
## 38000010	HILL START ASSIST		0Kg
<b>TRANS BREATHER</b>			
37000010	Transmission mounted breather		0Kg
<b>FRONT AXLE</b>			

## DEALER TRUCK PURCHASE ORDER

PACCAR Australia Pty Ltd

##	41026035	MERITOR MFS73 (7.3T CAPACITY) (SINGLE STEER) INCLUDES STANDARD WARRANTY: 24 MONTHS/UNLIMITED KMS (EXCLUDING WHEEL END EQUIPMENT).	27Kg
FR AXLE BRAKES			
##	41226030	MERITOR 16.5X6 LA(Q+) FRONT DRUM BRAKES (SINGLE) ON MERITOR MFS73 AND FL941 FRONT AXLES	0Kg
FRONT SPRINGS			
##	41500167	FRONT SPRINGS, 7.2T TAPER LEAF (> 9^ SUSP)	0Kg
FRONT HUBS			
##	41800011	2 HD STEEL PILOTED FRONT HUBS & DRUMS - 285PCD (FL/MFS73/D2000F)	5Kg
POWER STEERING			
	42000020	TRW Ross TAS 85 power steering	0Kg
FR AXLE EQUIP			
##	42500008	AUTOMATIC SLACK ADJUSTERS (SINGLE STEER)	1Kg
REAR AXLE			
##	42900430	REAR AXLE RATIO-4.30	0Kg
##	43026290	MERITOR RT46-160GP - DUAL DIFF LOCKS 20.9T GAW (TANDEM). CROSS WHEEL DIFF LOCKS APPLIED TO BOTH DRIVE AXLES. INCLUDES STANDARD WARRANTY: GCM <110T, 24 MONTHS/UNLIMITED KMS (EXCLUDING WHEEL END EQUIPMENT).	236Kg
RR AXLE BRAKES			
	43226001	16.5^ x 7^ Meritor Q+ rear drum brakes (tandem)	0Kg
REAR SUSPENSION			
##	43502241	AIRGLIDE 460, 2 STEEL PEDESTAL, 10.5^ RIDE HEIGHT. 20.9T GAWR (TANDEM)	56Kg
RR AXLE SPACING			
	43700100	Rear Axle spacing 1321mm NOTE - axles are located by suspension components which may move longitudinally with variances of vertical load or installation angles.	0Kg
REAR HUBS			
	43800004	4 Aluminium piloted rear hubs & drums - 285PCD (R-series)	0Kg
INTERAXLE DLOCK			
	43900010	Interaxle diff lock	0Kg
RR AXLE EQUIPT			

**DEALER TRUCK PURCHASE ORDER**

**PACCAR Australia Pty Ltd**

##	44000008	AUTOMATIC SLACK ADJUSTERS - TANDEM REAR AXLE	2Kg
DIFF BREATHERS			
	44200001	Diff breather(s) on axle housing	0Kg
RR SUSP EQUIPT			
##	44500006	KONI HD SHOCK ABSORBERS (AG ONLY) - TANDEM	3Kg
STEER TYRES			
##	46050422	BRIDGESTONE 385/65 R22.5 R249 - 2 STEER	24Kg
DRIVE TYRES			
	46250040	Bridgestone 11R22.5 M766	0Kg
WHEEL/RIM STEER			
##	47000022	ALCOA 12.25X22.5 285PCD - 2 STEER HUB PILOT (INCLUDES CHROME HUB COVERS WITH KW LOGO)	16Kg
WHEEL/RIM DRIVE			
	47200002	Alcoa 8.25x22.5 285PCD hub pilot	0Kg
FR WHEEL FINISH			
##	47500001	2 POLISHED WHEELS - SINGLE STEER (ONLY REQUIRED WITH ALCOA STEER WHEELS/RIMS)	0Kg
RR WHEEL FINISH			
##	47600021	4 POLISHED, 4 CLEAN BUFF FINISHES - REAR (ONLY REQUIRED WITH ALCOA DRIVE WHEELS/RIMS)	0Kg
FRAME RAILS			
##	51000310	273MM X 89MM X 9.5MM RAILS UP TO 11420MM (0.0621KG/MM/PAIR OF RAILS)	143Kg
FRAME INSERTS			
##	51500005	EXTENDED REAR SUSPENSION INSERT - FROM REAR OF FRAME TO FORWARD SUSPENSION CROSSMEMBER.	68Kg
REAR FRAME			
##	52000004	TAPER CUT-OFF / DOLLY TOWING CROSSMEMBER	18Kg
MISC. FRAME			
##	52500104	SEALANT BETWEEN CHASSIS RAIL & SUSPENSION INSERT	2Kg
BUMPER/BULLBAR			
##	53000015	TEMPORARY FUPS DEVICE	-4Kg
##	53000153	AFTERMARKET FUPS BULLBAR TO BE FITTED	0Kg
BATTERY BOX			
##	54000007	TUNNEL TYPE IN-FRAME BATTERY BOX WITH TOOL BOXES LHS AND RHS UC (TOOL BOXES	-1Kg

**DEALER TRUCK PURCHASE ORDER**

**PACCAR Australia Pty Ltd**

ONLY APPLY TO COE SINGLE STEER WITH  
EGR ENGINE)

<b>BATTERIES</b>		
54200040	4 x 12V heavy duty Kenworth batteries	0Kg
<b>CHASSIS ELEC</b>		
## 55000004	REVERSING ALARM	1Kg
<b>FRONT MUDGUARDS</b>		
## 55500500	FRONT WHEEL ARCH EXTENSION RUBBERS	2Kg
<b>REAR MUDGUARDS</b>		
## 56000004	TEMPORARY CANVACON DELIVERY GUARDS MANDATORY WITH TRI-AXLE COMBINATIONS, HAS461 SUSPENSION (CAR CARRIER), OR 305/70 DRIVE TYRES.	-35Kg
<b>FRONT MUD FLAPS</b>		
56500020	Thermoflex mudflaps - front (single steer)	0Kg
<b>REAR MUD FLAPS</b>		
56600020	Thermoflex mudflaps - rear	0Kg
<b>5TH WHEEL/BODY ANGLE</b>		
## 58000021	100W (50MM EVENS) FIFTH WHEEL ANGLES GCM LIMITED TO 200T.	8Kg
<b>5TH WHEEL</b>		
U 59099000	UPO 145031 - HOLLAND FW351KP6 KOMPENSATOR 50MM FIFTH WHEEL 244MM OVERALL HEIGHT ON 16MM STEEL PLATE (D- VALUE : 163 KN)	340Kg
<b>5TH WHEEL SETTING</b>		
## 59100050	5TH WHEEL SETTING POSITIVE 50MM	0Kg
<b>CAB ISOLATION</b>		
## 59500078	KENWORTH SLEEPER AIR SUSPENSION MOUNTED OUTBOARD OF CHASSIS (2 SHOCKS & 2 AIRBAGS)	0Kg
<b>CAB</b>		
## 61003661	T610SAR 2.1M CAB, INTEGRATED SLEEPER EXTERNAL AIR CLEANERS. STAMPED ALUMINIUM CAB WITH PANORAMIC CURVED GLASS WINDSCREEN AND STAMPED ALUMINIUM TRIPLE SEALED DOORS. MANUFACTURED USING SELF-PIERCING RIVETS AND STRUCTURAL ADHESIVE.	0Kg
<b>HOOD</b>		
61300612	Traditional hood, T610SAR, external air cleaners	0Kg



**DEALER TRUCK PURCHASE ORDER**

**PACCAR Australia Pty Ltd**

<b>CAB TRIM</b>		
61500180	Premium soft trim, Red Garnet (4816) HD diamond pleat vinyl with grey ember hard trim	0Kg
<b>SEATS</b>		
## 62000622	ISRI 6860/870 PRO AIR SUSP DRIVER'S SEAT, BURGUNDY WITH PREMIUM SEAT CUSHION, INTEGRATED HORIZONTAL ISOLATOR AND L & R ARM RESTS (LH ARM REST ONLY ON COE).	0Kg
62001343	Fixed rider's seat - Burgundy with no arm rests.	0Kg
<b>SEAT BELTS</b>		
62300001	Drivers black lap/sash seat belt	0Kg
62300051	Riders black lap/sash seat belt	0Kg
<b>RADIOS</b>		
## 62500098	FM/AM RADIO AERIAL - SUNVISOR MOUNTED WITH AERO ROOF - 600MM, 860MM & 1400MM SLEEPER.	0Kg
## 62500122	FM/AM RADIO & CD, 6 SPEAKERS, 2 TWEETERS WITH STEERING WHEEL MOUNTED AUDIO CONTROLS	1Kg
## 62500203	ELECTROPHONE UHF CB RADIO WITH AERIAL TO LHS	2Kg
## 62500250	ELECTROPHONE UHF CB RADIO WITH AERIAL TO RHS	2Kg
<b>HEATER/AIRCONDR</b>		
63000020	Climate control High capacity unit with one touch automatic temperature control and with fresh & recirculated air filters.	0Kg
<b>WINDSCREEN</b>		
63300100	One piece curved windscreen - tinted, laminated safety glass with dual electric variable speed windscreen wipers (conventional models) or with three electric variable speed windscreen wipers (COE only)	0Kg
<b>CAB DOORS</b>		
63500034	Kenworth, LHS triple sealed door with electric lift window	0Kg
63500035	Kenworth, RHS triple sealed door with electric lift window	0Kg
<b>AIR HORNS</b>		
## 63800003	TWIN SINGLE PEDESTAL AIRHORNS WITH DUAL TRUMPETS	1Kg
<b>MIRRORS</b>		
## 64000012	KENWORTH AERODYNAMIC MIRRORS WITH	0Kg

**CHROME COVERS HEATED WITH INTEGRAL  
SPOTTER MIRROR AND ELECTRONIC ADJUSTMENT**

**CAB ELECTRICS**

64500025	Power socket in rider side B-pillar	0Kg
64500041	USB power supply	0Kg
64500046	12v Power socket x 2 (1 x driver side, 1 x passenger side)	0Kg
64500060	Two spare switches in main switch panel (where space permits)	0Kg

**HEADLIGHTS**

## 64800161	LED HEADLIGHTS, LED HI BEAM, NON FUNCTIONAL DRL - INTEGRATED DAYTIME RUNNING LIGHTS ARE NOT FUNCTIONAL IN THIS OPTION	2Kg
-------------	--	-----

**MISC LIGHTS**

## 65000200	WIRING & SWITCH - LATER FITMENT OF DRIVING LIGHTS	0Kg
## 65000215	WIRING & SWITCH - LATER FITMENT OF BEACON LIGHT - WIRING FOR A SINGLE ROOF MOUNTED LIGHT SUPPLIED.	0Kg
## 65000395	LED FLOODLIGHT BAR ON THE BACK OF THE CAB/SLEEPER	2Kg
65000520	Door courtesy lights	0Kg
65000536	LED stop/tail lights (incl. reverse lights)	0Kg

**MARKER LIGHTS**

65200060	5 LED marker lights (subject to Kenworth Engineering approval)	0Kg
----------	---	-----

**SUNVISORS**

## 65400220	EXTERIOR SUNVISOR - PAINTED	-1Kg
-------------	-----------------------------	------

**INSTR/CONTROLS**

65500050	PACCAR information centre displays engine voltage, transmission temperature (except with PACCAR transmission), outside air temperature, 2 clocks and trip and fuel economy information	0Kg
## 65500190	SCR fluid gauge	0Kg
## 65500250	VDO ANALOGUE CLOCK	1Kg
65500263	Speedometer and tachometer	0Kg
## 65500292	ENGINE IDLE TIMER DEFAULT RUN TIME IS 3 MINUTES - CAN BE RE-PROGRAMMED FOR OTHER TIMES AT THE DEALERSHIP.	0Kg
65500900	Engine coolant temperature gauge	0Kg
65500910	Engine oil pressure gauge	0Kg
65500950	Fuel level gauge	0Kg
65500980	Air system pressure gauges - 2 gauges including one for front air pressure and one for rear air pressure	0Kg
65501001	Chrome bezel gauges	0Kg

## DEALER TRUCK PURCHASE ORDER

PACCAR Australia Pty Ltd

##	65503000	PACCAR 7 DISPLAY TOUCH SCREEN (A SINGLE VIRTUAL AIR SUSPENSION PRESSURE GAUGE COMES STANDARDS WITH THE PACCAR AUTOMATED TRANSMISSION)	2Kg	\$2,100
##	65503060	VIRTUAL GAUGE - FUEL ECONOMY	0Kg	
##	65503070	VIRTUAL GAUGE - PERCENT TORQUE	0Kg	
##	65503080	VIRTUAL GAUGE - TRACTOR BRAKE APPLICATION	0Kg	
##	65503140	VIRTUAL GAUGE - ENGINE OIL TEMPERATURE	0Kg	
##	65503150	VIRTUAL GAUGE - TRANSMISSION OIL TEMPERATURE	0Kg	
##	65503170	VIRTUAL GAUGE - REAR DRIVE AXLE OIL TEMPERATURE	0Kg	
##	65503171	VIRTUAL GAUGE - FRONT DRIVE AXLE OIL TEMPERATURE	0Kg	
##	65503270	VIRTUAL GAUGE - TURBO BOOST	0Kg	
##	65503330	VIRTUAL GAUGE - FUEL FILTER RESTRICTION	0Kg	
##	65503350	VIRTUAL GAUGE - AIR FILTER RESTRICTION	0Kg	
<b>CRUISE CONTROL</b>				
	65600250	Cummins cruise control, steering wheel mounted sw	0Kg	
<b>STEERING COLUMN</b>				
	65700170	Adjustable steer column and steering wheel with leather wrap and inbuilt audio and cruise controls	0Kg	
<b>HYDRAULIC JACK</b>				
	65900020	20t hydraulic jack & wheelbrace	0Kg	
<b>MISC CAB ITEMS</b>				
##	66000064	1.5KG DRY POWDER FIRE EXTINGUISHER MOUNTED TO RIDER SEAT	2Kg	
	66000070	Integral two cup drink holder in dash	0Kg	
	66000527	No external side of cab grab handles	0Kg	
	66000575	Radiator mounted condensor	0Kg	
##	66000579	SEVEN HOOD GRILLE BARS - IN LIEU OF THREE GRILLE BARS (EURO 5 COMPLIANT ENGINES ONLY)	2Kg	
	66000580	Perforated S/Steel grille, externally mounted	0Kg	
	66000701	Remote keyless entry with pre-trip ext lamp test	0Kg	
##	66000730	PARK BRAKE WARNING ALARM	0Kg	
	66000740	Drivers side fasten seat belt warning	0Kg	
	66000793	Black interior grab handles on A and B pillars	0Kg	
<b>HOOD HOOKS</b>				
	66200018	Dual hood hooks	0Kg	
<b>SLEEPER</b>				
##	67001400	AERO ROOF 1400MM INTEGRATED SLEEPER LH AND RH SLEEPER VENTS, TWO SECTION TOOL COMPARTMENT WITH EXTERNAL DOORS, LH	250Kg	

SLEEPER ACCESS DOOR AS STANDARD, 790MM X 1880MM INNERSPRING MATTRESS (WITH HINGED PAN FOR UNDER BUNK STORAGE), SLEEPER RESTRAINT BELTS, 12V SOCKET IN RHS CONTROL PANEL, INCLUDES WINDSCREEN PRIVACY CURTAIN AND SLEEPER BLACKOUT CURTAINS.

## SLEEPER OPTIONS

##	67500120	RIGHT HAND SLEEPER ACCESS DOOR (830MM X 640MM) - N/A WITH 28°, 600MM, 760MM OR 860MM SLEEPERS.	7Kg
##	67500140	FLYWIRE SCREENS RH & LH SLEEPER DOORS	0Kg
##	67500160	STAINLESS STEEL SLEEPER VENTS X 4 FOR 50° / 1270MM /1400MM AERO SLEEPERS	2Kg
##	67500370	UPPER REAR STORAGE UNIT 1400MM SLEEPER. 2X STORAGE CUPBOARDS WITH EXTERNAL HANGING HOOK EACH SIDE. INCLUDES 820 X 320MM CENTRAL STORAGE SHELF WITH CARGO NET.	10Kg
##	67500530	KING SINGLE BUNK FOR 1400MM SLEEPER 1090MM X 2030MM INNER SPRING MATTRESS & COVER (IN LIEU OF 790MM X 1980MM INNER SPRING MATTRESS). KING SINGLE BUNK SELECTION REMOVES ALL STORAGE BEHIND THE SEATS.	5Kg
##	67500600	AUXILIARY AIR CONDITIONER IN SLEEPER	25Kg
##	67500605	240V INVERTER WITH WALL SOCKET RHS IN SLEEPER CONTROL PANEL - 2000W PURE SINE WAVE OUTPUT, ADDITIONAL SOCKET PROVIDED WITH EITHER FULL HEIGHT STORAGE SHELVES OR REAR OVERHEAD STORAGE UNIT. INVERTER LOCATED IN RHS SLEEPER TOOL BOX	5Kg
##	67500616	42L FRIDGE MOUNTED UNDER BUNK (TOP ACCESS SLIDE DRAWER)	25Kg
SLEEPER SKIRTS			
##	67600719	STAINLESS STEEL VANITY SKIRTS TO 1400MM SLEEPER	6Kg
SLP AERODYNAMIC			
##	67700264	SIDE EXTENDERS FOR 1400MM SLEEPER INCLUDING CONTINUATION TABS	90Kg
MANUALS			
	68000001	Kenworth driver's information pack with driver's handbook	0Kg
	68000010	Kenworth custom maintenance manual - USB drive	0Kg
TRAILER CONNECT			
	71000012	Semi trailer kit	0Kg
AIR LINE COUPL			
	71200001	PBR air line couplings	0Kg

**DEALER TRUCK PURCHASE ORDER****PACCAR Australia Pty Ltd**

<b>AIR LINES</b>			
71400001	Semi trailer fixed coiled air lines		0Kg
<b>LIGHT LINES</b>			
71600001	Semi trailer fixed light line - 7 pin plug straight light line, conforms with AS2513.		0Kg
<b>HOSETENNA LOCN</b>			
71800002	Hosetenna left hand side - fixed		0Kg
<b>MOIST EJECT VVE</b>			
72000010	Manual air tank drain valves		0Kg
<b>AIRDRYER/FILTER</b>			
73000010	Chicago Rawhide Turbo 2000 air dryer		0Kg
<b>ACB / TRM OPTIONS</b>			
75500050	Electronic Braking Safety System (ABS + ATC + DTC) (Antilock Braking System + Automatic Traction Control + Drag Torque Control)		0Kg
<b>LEADS AND SOCKETS</b>			
75600006	Semi trailer ABS - socket only (for use with Semi Trailer kit or Combined kit)		0Kg
<b>FUEL TANK MAT'L</b>			
80500001	Aluminium Note: each fuel tank specified is filled with 200L fuel when it leaves the KW factory. Tanks with capacity less than 200L will be filled		0Kg
<b>TANK FINISH</b>			
80600010	Polished finish - Aluminium tanks only		0Kg
<b>LH FORWARD</b>			
## 81010270	470L 625MM DIA NOTCHED FUEL TANK LHF (RPL) FORWARD NOTCHED		6Kg
<b>RH FORWARD</b>			
## 81510270	470L 625MM DIA NOTCHED FUEL TANK RHF (ADD) FORWARD NOTCHED		94Kg
<b>LH REAR</b>			
## 82000220	300L 625MM DIA FUEL TANK LHR (ADD)		68Kg
<b>DEF / ADBLUE Tank</b>			
## 84400064	300L 625MM DIAM ADBLUE TANK RHR (STAINLESS STEEL) FOR ISXE5 (100L ADBLUE SUPPLIED AT FACTORY)		26Kg
<b>FUEL COOLER</b>			

**DEALER TRUCK PURCHASE ORDER**

**PACCAR Australia Pty Ltd**

<b>##</b> 88000010	<b>DUAL FUEL PICKUPS &amp; RETURNS WITH FUEL COOLER</b>	<b>14Kg</b>
<b>CAB PAINT</b>		
91000000	Paint cab stock Ice White (419KEA.KMV2)	0Kg
<b>INTEG SLP PAINT</b>		
<b>##</b> 92200001	<b>PAINT INTEGRATED SLEEPER 1 COLOUR</b>	<b>0Kg</b>
<b>CHASSIS PAINT</b>		
<b>##</b> 92500002	<b>CHASSIS PAINTED 1 COLOUR</b>	<b>0Kg</b>
<b>MISC PAINT</b>		
<b>##</b> 97000000	<b>PAINT COLOR NUMBER</b>	<b>0Kg</b>

**Information**

-----  
 COLOUR A 419KEA.KMV2 ICE WHITE RIO  
 CHASSIS 419KEA.CPL3 BRIGHT RED  
 SUNVISOR 419KEA.KMV2 ICE WHITE RIO  
 -----

EMAIL:  
 CELL PHONE:

Name: \_\_\_\_\_

**TRUCK DATA**

Truck Type : Prime Mover

Main Routes : Australia Wide	Code: 00901034
Commodity Hauled : Tanker - Dry	Code: 00110018
Intended Service : General Freight	Code: 00100008
Speed Limiter : 100 km/h	
R-Axle Ratio : 4.30	
5th Wheel Setting : 50 mm	

**AXLE LOADING**

	<u>MAXIMUM</u>	<u>NORMAL</u>	<u>REQUESTED PLATED</u>
GCM	: 85000 kg	68000 kg	97000 Kg
% of Distance at 10 % Load		90 %	
Front Axle Load	: 6500 kg	6500 kg	
% of Distance at 100 % Load		0 %	
Rear Axle Load	: 16500 kg	16500 kg	
% of Distance at 66 % Load		34 %	
Max Grade %	: 10 %	3 %	
Length Max Grade	: 1 km	3 km	

**HIGHWAY USAGE**

Annual Distance : 200000 Km

Class A % : 100 %
Class B % : 0 %
Class C % : 0 %
Class D % : 0 %

**LEGAL RESTRICTIONS**

Length : 36500  
 :  
 Width : 2500  
 Height : 4300

TRAILER

Type : Tanker (Pump/Blower Code: 00120034)  
 Trailer Length : 13720 mm  
 Trailer Height : 3800 mm  
 Trailer Width : 2500 mm  
 Weight : 0 kg  
  
 King Pin Setting : 1430 mm  
 Corner Radius : 0  
 Number of Axles : 6

UPO's			
UPO No.	Option Ref.	Description	
59099000	59040110	UPO 145031 - HOLLAND FW351KP6 KOMPENSATOR 50MM FIFTH WHEEL 244MM OVERALL HEIGHT ON 16MM STEEL PLATE (D-VALUE : 163 KN)	340kg

WARNINGS

Taper leaf springs not recommend with wheelbase over 5200mm and Airglide suspension

Please contact Applications Engineering as Automated shift options require Eaton approval. Approval generally given for up to 68,000kg B-Doubles. May be granted for up to 130,000kg Road Train.

Lightline harness with Power distribution box has no reversing lamp circuits but is fully compatible with trailers that do

Your wheelbase is greater than 5600mm, it is strongly recommended that you select 273mm frame rail (51000310) and a full insert (51500003)

Swing clearance calculations are based on a 180mm hosetenna setting and an EGP if applicable from the back of the cab

Check your tunnel-type in-frame battery box can fit within your wheelbase

Fifth wheel height calculation includes 8mm fifth wheel angle height

Please be aware, all 5th wheel height dimensions listed in the 5th Wheel Height Report include 8mm for 5th wheel angles.

The aftermarket bumper/bullbar sales code has been selected however as the weight of an aftermarket component is unknown, no weight has been attributed to these sales

codes. The Weight Distribution under the Performance section is for the truck as delivered. Contact Applications for a more accurate weight analysis.

---

Trucks with EBSS packages may require 2 weeks testing. Please allow for this when selecting a desired delivery date. For more information refer to Application Engineering

---

Trailer electrical and ABS connections for this chassis will be 12V.

---

Tare weight estimates do not include weights for fuel. For weight estimates including fuel refer to Performance - Weight Distribution or contact Applications Engineering.

---

The aftermarket bumper/bullbar sales code has been selected however as the forward dimensions of an aftermarket component is unknown, the overall combination length calculation is stated for a STD bumper. Contact Applications for a more accurate combination length.

---

The PTO switch in this truck does not include a Park Brake Interlock - if an interlock is required, please raise an NPO in the Cab Air & Electrical section (64599000).

---

SRT (static rollover threshold) a key factor for PBS approvals, is influenced by rear truck suspension, trailer CoG and trailer suspension, applications requiring high vehicle combination roll stiffness particularly for Blueprint PBS approvals will require a rear truck suspensions with a high roll stiffness such as Primax or Neways.

---

SCO Update Counter: 5

---

CHANGE NUMBER: 5      SCO#: 155454

GENERAL CHANGES

Sales Allow Ref changed to: 583  
Sales Allowance changed to: 20262

DELETED COMPONENTS

--- NONE ---

ADDED COMPONENTS

--- NONE ---

CHANGED UPOS - DELETED

--- NONE ---

CHANGED UPOS - ADDED

--- NONE ---

ADDED PAINT

--- NONE ---